CORRES CONTROL OUTGOING LTR NO

#000052027

00E ORDER# 1/700 / 95 RF 0 2644

DIST THE MARAL ME JURLINGAME AH JUSBY W S SMANCH DB CARNIVAL, GJ DAVIS JG ERRERA, D.W RAV RE **GEIS** W S 3LC PM GOUN HANN BJ HARMAN LK HEALY, TJ HILBIG J G HUTCHINS 1 M KELL RE KUESTER MARX GE MCDONALD M M MCKENNA F G MONTROSE JK MORGAN, R V POTTER GL PIZZUTO V M RISING, L. SCHWARTZ JK SETLOCK GH STEWART, D L STIGER, S G TOBIN PM

AL Pr mrox X

CORRES CONTROL X )

ADMN RECORD/080 X |

TRAFFIC

CLASSIFICATION

PATS/T130G

VOORHEIS GM WILSON JM

UCNI
UNCLASSIFIED
CONFIDENTIAL
SECRET

AUTHORIZED CLASSIFIER

CLASSIFICATION

CLASSIFICATION OFFICE

CLASSIFICATION OFFICE

DATE

N REPLY TO RFP CC NO

TR APPROVALS

AIG & TYPIST INITIALS

## EG&G ROCKY FLATS

EG&G ROCKY FLATS INC
ROCKY FLATS PLANT PO BOX 464 GOLDEN COLORADO 80402-0464 (303) 966 7000

March 16 1995

95 RF 02644

Scott R Grace Environmental Restoration Division DOE/RFFO

RENOTIFICATION FOR COMMENCEMENT OF SURFACE WATER 59 INVESTIGATION ACTIVITIES - PJL-015 95

Action Approve new start date of SW 59 investigation

EG&G Rocky Flats Inc is notifying the Department of Energy that investigation activities adjacent to the Surface Water 59 seep scheduled to begin on February 14 1995 did not occur due to freezing temperatures and snowy conditions. Because the scope of this intrusive investigation will be to identify moisture in the soil activities cannot occur when freezing temperatures or conditions from precipitation events exist. This investigation is reschedule to begin on March 21 1995. The scope of this excavation will remain identical to the scope identified in a letter transmitted to you on February 8 1995 (95 RF-01569).

If you have any questions or require additional information please contact Jeff Bray at extension 8533 or digital page 6143

at Pumon for PJL

The state of the state of

Pete J Laurin
Project Manager
Operable Unit 2 Closure

JRB 61

Ong and 1 cc S R Grace

'D'MIN RECORD

∞: E. A Dillé SAIC

ELASSINEATIEN CARD

DOCUMENT CLASSIFICATION REVIEW WAIVER PER CLASSIFICATION OFFICE